



*The Ultimate Fresh & Salt Water Analyzer
for Fish Farming applications*



Up to 8 Tests in 2 Minutes!

Ready to go anywhere!



WaterLink® SpinTouch®FF

“Every now and then a technology emerges that changes people’s lives. For people who test water, that time is now.”
— David LaMotte, President

Available Tests:

Alkalinity
Ammonia
Calcium
Hardness
Magnesium
Nitrate
Nitrite
pH
Phosphate

Up to 8 Tests in 2 Minutes!

- Reliable Results
- Super Fast & Simple
- Auto-Record Keeping
- Rugged and Portable

The innovative **WaterLink® Spin Touch®FF** photometer does all your fresh and salt water testing for you. Each sealed reagent disk contains the precise amount of reagent needed to run a complete series of tests—both fresh and salt water disks are available. Just fill one unique Spin reagent disk with less than 3 mL of water and all your vital tests are done automatically—in just 2 minutes! It’s the most advanced system for wet chemistry methods ever produced. Now analysts can achieve test results without time consuming test and clean-up procedures. This ground-breaking analysis system is so simple anyone can use it! No vials to fill, no prep time, no guessing!



So Simple! So Fast!

“The Spintouch FF is quick and easy to use. The readings I have received are accurate and compare to my conventional tests.”
— Kenny, First Feed Supervisor




Centrifugal Fluidics Photometry™

The Device *Precise analysis of up to 8 parameters in 2 minutes!*



Order Code 3587



Reliable Results

- Virtually Eliminates User-Error
- Pre-Measured Reagents
- Exact Reaction Time and Auto-Blanking
- Meter Calibration Check System
- 6-Wavelength Photometer

Super Fast & Simple

- 2 Minutes for up to 8 Complete Tests Using One Disk
- Fill Disk and Insert > Tap "Start Test" > Read Results

Data Logging

- Stores Test Dates, Times, Results, and Location
- Download via USB to PC

Stand-Alone or Cloud-Connected

- Touchscreen Operation
- Connect to WaterLink Solutions via Bluetooth®

Rugged and Portable

- Innovative Water-Resistant Housing
- Internal, Rechargeable Batteries


Bluetooth® is a registered trademark of Bluetooth® SIG, Inc.

Instrument Type:	Centrifugal Fluidics Photometer
6 Wavelengths:	390 nm, 428 nm, 470 nm, 525 nm, 568 nm, 635 nm
Display:	Color Capacitive Touchscreen, 3.5", 320 X 240 pixel resolution
Languages	English, French, Spanish, German, Italian, Portuguese, Dutch, Swedish, Turkish, Chinese
Batteries:	Lithium Ion, Rechargeable (Full Charge in 10-12 hours), 150 tests per charge
Communication:	Bluetooth, USB-C
Calibration:	Factory Set, Field Calibration via Internet Connection
Data Storage:	Last 250 Test Results with Date, Time, Location
Water Resistance:	Rubber Co-molded Base, Rubber USB Port Plug, Gasketed Display & Hinge
Size & Weight:	8.5 L x 4.9 W x 4.1 H inches; 1.74 lb; 22.6 L x 12.7 W x 11.4 H cm; 0.79 kg
Operation:	Single On/Off/Reset Button with Indicator Light, Touchscreen
Firmware:	Internet Updateable (New Tests, New Test Calibrations, etc.)
Printer:	Optional Bluetooth® Printer [Code 5-0066]; 384 dots per line at 8 dots/mm resolution
Certification	CE

The Complete Lab

WaterLink® Spin Touch® FF Order Code 3587

Includes: Photometer, Instruction Manual, Quick-Start Instructions, 3 Syringes, Meter Check Disk, Disk Cover, Sample Bottle, USB Cable with AC Adapter, Carrying Case [Disks sold separately]



The Reagent Cartridge Disks

Disks come individually packaged in foil pouches in boxed packs of 50.



FF Fresh Water Disk
50/box
Order Code 4351-H

Test Parameter	Range
Alkalinity	0-250 ppm
Ammonia NH ₃	0-4.0 ppm
Hardness	0-500 ppm
Nitrate NO ₃	0-250 ppm
Nitrite NO ₂	0-2.0 ppm
pH	4.5-10.0 pH
Phosphate PO ₄	0-2.0 ppm

Disk Patent No. 8,734,734
 FCI Patent No. 8,987,000
 TCI Patent No. 8,993,337
 FCI EU Patent No. EP2784503 A1

FF Salt Water Disk
50/box
Order Code 4352-H

Test Parameter	Range
Alkalinity	0-300 ppm
Ammonia NH ₃	0-4.0 ppm
Calcium	200-800 ppm
Magnesium	500-2200 ppm
Nitrate NO ₃	0-60 ppm
Nitrite NO ₂	0-2.0 ppm
pH	6.5-10.0 pH
Phosphate PO ₄	0-2.0 ppm

Disk Patent No. 8,734,734
 FCI Patent No. 8,987,000
 TCI Patent No. 8,993,337
 FCI EU Patent No. EP2784503 A1

The Optional Software



- Cloud-based and **Free**
- Instantly capture date, time, test results, and location for each pond or tank
- View in real time water quality test results of each pond or tank
- Monitoring Dashboard* provides alerts and complete water quality history of each pond or tank
- Powerful, customizable treatment engine
- Download free iOS or Android WaterLink® Solutions App for your mobile device
- Sign up for your WaterLink Solutions account at www.softwarecenter.lamotte.com

*Monitoring Dashboard at nominal monthly charge

