



Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 09/11/2013

Supersedes: 04/04/2011

Version: 2.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Identifier

Product name: Conductivity Calibrator 1,000-100,000 micromho/cm

Product code: 3160, 3161, 3163, 3165, 3167, 3168, 3169

Intended Use Of The Product

Use of the substance/preparation: Calibration of YSI Analytical equipment

Name, Address, And Telephone Of The Responsible Party

YSI
1700/1725 Brannum Lane
Yellow Springs, OH 45387

T 937-767-7241

www.yei.com

MSDSinfo@ysi.com

Emergency Telephone Number

Emergency number : Within USA and Canada: 1-800-424-9300 - Outside USA and Canada: +1 703-527-3887
(collect calls accepted) CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

Classification Of The Substance Or Mixture

Classification (GHS-US)

Not classified

Label Elements

GHS-US labeling No labeling applicable

Other Hazards Not available

Unknown acute toxicity (GHS US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No.) 7732-18-5	93 - 100	Not classified
Potassium chloride	(CAS No.) 7447-40-7	0.1 - 7	Eye Irrit. 2B, H320

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description Of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ingestion: Rinse mouth. Do NOT induce vomiting

Most Important Symptoms And Effects Both Acute and Delayed

General: Not available

Inhalation: None expected under normal conditions of use..

Skin Contact: May cause mild skin irritation..

Eye Contact: May cause eye irritation..

Ingestion: If a large quantity has been ingested: Diarrhea. Abdominal pain..

Chronic symptoms: Not available

Indication Of Any Immediate Medical Attention And Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing media: Alcohol foam, polymer foam, dry chemical powder, carbon dioxide, water spray, fog.

Unsuitable extinguishing media: None known.

Special Hazards Arising From The Substance Or Mixture

Fire hazard: Not flammable.

Explosion hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice For Firefighters

Precautionary measures fire: Not available

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection..

Hazardous Combustion Products: Upon heating, toxic fumes are formed. (chlorine). Potassium oxides.

Reference To Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment And Emergency Procedures

General measures: Handle in accordance with good industrial hygiene and safety practice.

For Non-Emergency Personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods And Material For Containment And Cleaning Up

For containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for cleaning up: Clear up spills immediately and dispose of waste safely.

Reference To Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions For Safe Handling

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions For Safe Storage, Including Any Incompatibilities

Storage conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials: Strong acids. Strong oxidizers.

Specific End Use(s)

Calibration of YSI Analytical equipment

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Exposure Controls

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment: Safety glasses. Gloves.



Materials for protective clothing: Not available

Hand protection: Wear chemically resistant protective gloves.

Eye protection: Chemical goggles or safety glasses.

Skin and body protection: Not available

Respiratory protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

Other information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information On Basic Physical And Chemical Properties

Physical state	: Liquid
Appearance	: Clear
Odor	: Not available
Odor threshold	: Not available
pH	: 6.5 - 7.5
Relative evaporation rate (butyl acetate=1)	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 100 °C (212 °F)
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower flammable limit	: Not available
Upper flammable limit	: Not available
Vapor pressure	: Not available
Relative vapor density at 20 °C	: Not available
Relative density	: Not available
Specific gravity density	: 1 g/ml
Solubility	: Not available
Log Pow	: Not available
Log Kow	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: Not available

Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion data - sensitivity to mechanical impact : Not available

Explosion data - sensitivity to static discharge : Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility Of Hazardous Reactions Hazardous polymerization will not occur.

Conditions To Avoid Direct sunlight. Extremely high or low temperatures.

Incompatible Materials Strong acids. Strong oxidizers

Hazardous Decomposition Products Potassium oxides. Upon heating, toxic fumes are formed. (chlorine)

SECTION 11: TOXICOLOGICAL INFORMATION

Information On Toxicological Effects - Product

Acute toxicity : Not classified

LD50 and LC50 Data Not available

Skin corrosion/irritation: Not classified pH: 6.5 - 7.5

Serious eye damage/irritation: Not classified pH: 6.5 - 7.5

Respiratory or skin sensitization: Not classified

Germ cell mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific target organ toxicity (repeated exposure): Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: None expected under normal conditions of use.

Symptoms/injuries after skin contact: May cause mild skin irritation.

Symptoms/injuries after eye contact: May cause eye irritation.

Symptoms/injuries after ingestion: If a large quantity has been ingested: Diarrhea. Abdominal pain.

Information On Toxicological Effects - Ingredient(s)

LD50 and LC50 Data

Potassium chloride (7447-40-7)	
LD50 oral rat	2600 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Potassium chloride (7447-40-7)	
LC50 fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC50 fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Persistence And Degradability

Conductivity Calibrator 1,000-100,000 micromho/cm	
Persistence and degradability	Not established.

Bioaccumulative Potential

Conductivity Calibrator 1,000-100,000 micromho/cm	
Bioaccumulative potential	Not established.

Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility In Soil Not available

Other Adverse Effects

Other information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

In accordance with ICAO/IATA/DOT/TDG

UN Number Not regulated for transport

UN Proper Shipping Name Not regulated for transport

Additional information Not regulated for transport

Overland transport Not regulated for transport

Transport by sea Not regulated for transport

Air transport Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal regulations

Potassium chloride (7447-40-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State regulations

Potassium chloride (7447-40-7)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Canadian regulations

Conductivity Calibrator 1,000-100,000 micromho/cm

Uncontrolled product according to WHMIS classification criteria

Potassium chloride (7447-40-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION

Indication of changes : 04/04/2013

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Irrit. 2B

Serious eye damage/eye irritation Category 2B

Conductivity Calibrator 1,000-100,000 micromho/cm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Party Responsible For The Preparation Of This Document:

YSI, EHS Manager
1700/1725 Brannum Lane
Dayton, OH 45387
937-767-7241 x433

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS